

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6308	((250/492.21) or (250/492.2) or (250/492.3)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/31 14:18
L2	3422	ion and (extract\$4 near1 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:37
L3	11	I2 and ((metal\$4 or conduct\$4) near2 frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:31
L4	287	I2 and frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:37
L5	6	I4 and (align\$4 near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:37
L6	6	I5 and insert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:38
L7	4	I6 and (slot or slit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:38
L8	2	I7 and (groove or groove-shap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:38

L9	1	l8 and ((metal\$4 or conduct\$4) near4 insert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:35
L10	1	l8 and ((metal\$4 or conduct\$4) with insert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:35
L11	2	l8 and ((metal\$4 or conduct\$4) and insert\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:35
L12	5439	ion and (extract\$4 near4 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:39
L13	552	l12 and frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:39
L14	8	l13 and (align\$4 near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:41
L15	8	l14 and insert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:42
L16	6	l15 and (slot or slit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:43

L17	2	l16 and (groove or groove-shap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:43
L18	7973	ion and (extract\$4 with electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:44
L19	882	l18 and frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:39
L20	9	l19 and (align\$4 near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:40
L21	60792	ion near2 implant\$6 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:41
L22	60792	(ion near2 implant\$6) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:56
L23	71	l22 and (align\$4 near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:57
L24	52	l23 and insert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:42

L25	27	I24 and (groove or groove-shap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:59
L26	19	I25 and (slot or slit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:43
L27	6	I26 and ((extract\$4 implant\$8) near2 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:44
L28	5550	I22 and (insert\$3 or (insert adj member))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:56
L29	52	I28 and (align\$4 near2 pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 14:58
L30	18	I29 and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:10
L31	13	I30 and (groov\$2 or groove-shap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:07
L32	4	I31 and cap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:00

L33	18	I24 and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:10
L34	1	I33 and ((retain\$4 or retention) near2 flange)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:11
L35	10	I33 and (slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:12
L36	10	I35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:12
L37	5	I35 and cap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:19
L38	5	ion and implant\$7 and (align\$5 near2 pin) and ((retention or retain\$4) near2 (cap or flange))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:22
L39	3	ion and implant\$7 and (align\$5 near2 pin) and ((retention or retain\$4) near2 ( flange))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:21
L40	4	ion and implant\$7 and (align\$5 near2 pin) and ((retention or retain\$4) near2 (cap or flange)) and flange and insert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:24

L41	7	ion and implant\$7 and (align\$5 near2 pin) and insert\$4 and flange and cap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:29
L42	3	ion and implant\$7 and (align\$5 near2 pin) and (insert\$4 near1 member) and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:31